L Number	Hits	Search Text	DB	Time stamp
1	1011	713/202.ccls.	USPAT;	2004/10/17 17:20
-			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
2	58	380/276.ccls.	USPĀT;	2004/10/17 17:20
			US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
3	195	380/281.ccls.	USPAT;	2004/10/17 17:20
			US-PGPUB;	
			EPO; JPO;	·
		<i>'</i>	DERWENT;	
	0.507.		IBM_TDB	, , _ , _ , _ , _ , _
	26374	(authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 15:16
		(mechanism policy method procedure	US-PGPUB;	
		technique operation process)	EPO; JPO;	
			DERWENT;	
1	1504	(authorticate) authoricate()	IBM_TDB	2004/10/16 15 11
-	1564	(authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 15:14
1	1	(mechanism policy method procedure technique operation process) with (choice	US-PGPUB;	
		choos\$3 alternative select\$3 option) and	EPO; JPO; DERWENT;	
		cnooss3 alternative selects3 option) and   access\$3	IBM TDB	
_	13324	access\$3   (security near3 idenfit\$6) SID	USPAT;	2004/10/16 00:34
	15524	(Security hears identify) Sib	US-PGPUB;	2004/10/18 00:34
			EPO; JPO;	
			DERWENT;	
		•	IBM TDB	·
_	16	((authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 00:36
		(mechanism policy method procedure	US-PGPUB;	2001, 10, 10 00.30
		technique operation process) with (choice	EPO; JPO;	
	}	choos\$3 alternative select\$3 option) and	DERWENT;	
		access\$3 ) and ((\$2crypt\$3 encod\$3	IBM TDB	
		decod\$3) and (\$2crypt\$3 encod\$3 decod\$3)		
		adj key) and ((security near3 idenfit\$6)	-	
		SID)		
-	1020	(authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 00:36
		(mechanism policy method procedure	US-PGPUB;	
		technique) with (choice choos\$3	EPO; JPO;	-
		alternative select\$3 option) and access\$3	DERWENT;	
1	_	[ , , , , , , , , , , , , , , , , , , ,	IBM_TDB	
-	9	((authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 15:10
		(mechanism policy method procedure	US-PGPUB;	
1		technique) with (choice choos\$3	EPO; JPO;	
		alternative select\$3 option) and access\$3 ) and ((\$2crypt\$3 encod\$3 decod\$3) and	DERWENT;	
		(\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key) and	IBM_TDB	
		((security near3 idenfit\$6) SID)		·
_	1956	((security hears identities) SID) (authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 16:38
	1,55	(mechanism policy method procedure	US-PGPUB;	5004/10/10 10:30
		technique operation process) with (choice	EPO; JPO;	
·		choos\$3 alternative select\$3 option	DERWENT;	
1		multiple) and access\$3	IBM TDB	
-	607	(authenticat\$3 authorizat\$3) near3	USPĀT;	2004/10/16 16:18
		(selection)	US-PGPUB;	
			EPO; JPO;	
		,	DERWENT;	
}			IBM_TDB	
-	148	((authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 15:16
		(mechanism policy method procedure	US-PGPUB;	
		technique operation process) with (choice	EPO; JPO;	
		choos\$3 alternative select\$3 option	DERWENT;	
		multiple) and access\$3 ) and	IBM_TDB	
		((authenticat\$3 authorizat\$3) near3		
		(selection))	l	

		<del>,</del>		
-	32	(((authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 15:17
		(mechanism policy method procedure	US-PGPUB;	
		technique operation process) with (choice choos\$3 alternative select\$3 option	EPO; JPO; DERWENT;	
	1	multiple) and access\$3 ) and	IBM TDB	
1		((authenticat\$3 authorizat\$3) near3	1001_100	
1		(selection))) and ((\$2crypt\$3 encod\$3		
		decod\$3) and (\$2crypt\$3 encod\$3 decod\$3)		
		adj key)	1	
-	109	((authenticat\$3 authorizat\$3) near3	USPAT;	2004/10/16 15:35
		(selection)) and ((\$2crypt\$3 encod\$3	US-PGPUB;	
		decod\$3) and (\$2crypt\$3 encod\$3 decod\$3)	EPO; JPO;	
		adj key)	DERWENT;	
<u> </u>	77	(((authenticat\$3 authorizat\$3) near3	IBM_TDB USPAT;	2004/10/16 16:14
	''	((\frac{1}{4}\text{deficited} \frac{1}{3}\text{deficited}	US-PGPUB;	2004/10/16 16:14
		decod\$3) and (\$2crypt\$3 encod\$3 decod\$3)	EPO; JPO;	ļ
		adj key)) not ((((authenticat\$3	DERWENT;	
		authorizat\$3) near3 (mechanism policy	IBM TDB	
		method procedure technique operation	_	
		process) with (choice choos\$3 alternative		
		select\$3 option multiple) and access\$3 )		
		and ((authenticat\$3 authorizat\$3) near3		
		(selection))) and ((\$2crypt\$3 encod\$3		
		decod\$3) and (\$2crypt\$3 encod\$3 decod\$3) adj key))		
_	32		USPAT;	2004/10/16 16:19
	32	(selection)) not ((authenticat\$3	US-PGPUB;	2004/10/10 10:15
		authorizat\$3) near2 (selection))) and	EPO; JPO;	
		((\$2crypt\$3 encod\$3 decod\$3) and	DERWENT;	
		(\$2crypt\$3 encod\$3 decod\$3) adj key)	IBM_TDB	
-	53	((authenticat\$3 authorizat\$3) near2	USPAT;	2004/10/16 16:30
		(select\$3 choice)) not ((authenticat\$3	US-PGPUB;	
		authorizat\$3) near3 (select\$3))	EPO; JPO;	
			DERWENT; IBM TDB	
_	10	(((authenticat\$3 authorizat\$3) near2	USPAT;	2004/10/16 16:37
		(select\$3 choice)) not ((authenticat\$3	US-PGPUB;	2001, 10, 10 10.0,
-		authorizat\$3) near3 (select\$3))) and	EPO; JPO;	
		((\$2crypt\$3 encod\$3 decod\$3) and	DERWENT;	
		(\$2crypt\$3 encod\$3 decod\$3) adj key)	IBM_TDB	
-	6279	(authenticat\$3) adj (mechanism method)	USPAT;	2004/10/17 15:44
		•	US-PGPUB;	
			EPO; JPO; DERWENT;	
	1		IBM TDB	
-	155	(2nd second plurality multiple another	USPAT;	2004/10/17 15:46
1		many) near3(authenticat\$3) adj (mechanism	US-PGPUB;	
	]	method)	EPO; JPO;	
	<u>'</u>		DERWENT;	
	1	//2=d =====d =1:::==1:t=	IBM_TDB	2004/10/17 15 15
-	42	((2nd second plurality multiple another many) near3(authenticat\$3) adj (mechanism	USPAT;	2004/10/17 15:45
	1	many) near3(authenticat\$3) adj (mechanism method)) and ((authenticat\$3) adj	US-PGPUB; EPO; JPO;	
		(mechanism method)) and ((\$2crypt\$3.	DERWENT;	
1	1	encod\$3 decod\$3) and (\$2crypt\$3 encod\$3	IBM TDB	
	]	decod\$3) adj key)	_	
-	129	(2nd second plurality multiple another	USPAT;	2004/10/17 15:48
		many) near2 (authenticat\$3) adj (mechanism	US-PGPUB;	
1		method)	EPO; JPO;	
] .			DERWENT;	
_	124	(2nd second plurality multiple another	IBM_TDB USPAT;	2004/10/17 15:48
1	124	many) adj2 (authenticat\$3) adj (mechanism	US-PGPUB;	2004/10/1/ 13:48
1		method)	EPO; JPO;	
		· · · · · · · · · · · · · · · · · · ·	DERWENT;	
	<u> </u>		IBM TDB	

27	((2nd second plurality multiple another many) adj2 (authenticat\$3) adj (mechanism method)) and ((authenticat\$3) adj (mechanism method)) and ((\$2crypt\$3 encod\$3 decod\$3) and (\$2crypt\$3 encod\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 17:19
	decod\$3) adj key)		